PCT09

RAW SEQUENCE LISTING DATE: 12/21/2001 PATENT APPLICATION: US/09/786,105 TIME: 13:12:24

Input Set : A:\Vgenp055.app

Output Set: N:\CRF3\12212001\I786105.raw

ENTERED

```
3 <110> APPLICANT: Visible Genetics Inc.
              Shipman, Robert
      6 <120> TITLE OF INVENTION: Method and Kit for the Characterization of
              Antibiotic-Resistance Mutations in Mycobacterium
              tuberculosis
      8
     10 <130> FILE REFERENCE: VGEN.P-055-WO
C--> 12 <140> CURRENT APPLICATION NUMBER: US/09/786,105
C--> 13 <141> CURRENT FILING DATE: 2001-09-28
     15 <150> PRIOR APPLICATION NUMBER: 60/111,794
     16 <151> PRIOR FILING DATE: 1998-12-11
     18 <160> NUMBER OF SEQ ID NOS: 50
    20 <170> SOFTWARE: PatentIn Ver. 2.1
     22 <210> SEQ ID NO: 1
    23 <211> LENGTH: 20
    24 <212> TYPE: DNA
    25 <213> ORGANISM: Mycobacterium tuberculosis
    27 <220> FEATURE:
    28 <223> OTHER INFORMATION: rpoB-F amplification primer
    30 <400> SEQUENCE: 1
                                                                           20
    31 tacggtcggc gagctgatcc
    34 <210> SEQ ID NO: 2
    35 <211> LENGTH: 20
    36 <212> TYPE: DNA
    37 <213> ORGANISM: Mycobacterium tuberculosis
    39 <220> FEATURE:
    40 <223> OTHER INFORMATION: rpoB-R amplification primer
    42 <400> SEQUENCE: 2
    43 tacggcgttt cgatgaaccc
                                                                           20
    46 <210> SEQ ID NO: 3
    47 <211> LENGTH: 20
    48 <212> TYPE: DNA
    49 <213> ORGANISM: Mycobacterium tuberculosis
    51 <220> FEATURE:
    52 <223> OTHER INFORMATION: rpoB-5s sequencing primer
    54 <400> SEQUENCE: 3
                                                                           20
    55 tacggtcggc gagctgatcc
    58 <210> SEQ ID NO: 4
    59 <211> LENGTH: 20
    60 <212> TYPE: DNA
    61 <213> ORGANISM: Mycobacterium tuberculosis
    63 <220> FEATURE:
    64 <223> OTHER INFORMATION: rpoB-3s sequencing primer
    66 <400> SEQUENCE: 4
                                                                           20
    67 tacggcgttt cgatgaaccc
    70 <210> SEQ ID NO: 5
    71 <211> LENGTH: 480
    72 <212> TYPE: DNA
```

RAW SEQUENCE LISTING DATE: 12/21/2001 PATENT APPLICATION: US/09/786,105 TIME: 13:12:24

Input Set : A:\Vgenp055.app

Output Set: N:\CRF3\12212001\1786105.raw

73 <213> ORGANISM: Mycobacterium tuberculosis 75 <220> FEATURE: 76 <223> OTHER INFORMATION: rpoB (rifampin resistance) 78 <400> SEQUENCE: 5 79 aaaccgacga catcgaccac ttcggcaacc gccgcctgcg tacggtcggc gagctgatcc 60 80 aaaaccagat ccgggtcggc atgtcgcgga tggagcgggt ggtccgggag cggatgacca 120 81 cccaggacgt ggaggcgatc acaccqcaga cgttgatcaa catccggccg gtggtcgccg 180 82 cgatcaagga gttcttcggc accagccagc tgagccaatt catggaccag aacaacccgc 240 83 tgtcggggtt gacccacaag cgccgactgt cggcgctggg gcccggcggt ctgtcacgtg 300 84 agegtgeegg getggaggte egegaegtge accegtegea etaeggeegg atgtgeeega 360 85 tegaaacee tgaggggee aacateggte tgateggete getgteggtg taegegegg 420 86 tcaacccgtt cgggttcatc gaaacgccgt accgcaaggt ggtcgacggc gtggttagcg 480 89 <210> SEQ ID NO: 6 90 <211> LENGTH: 20 91 <212> TYPE: DNA 92 <213> ORGANISM: Mycobacterium tuberculosis 94 <220> FEATURE: 95 <223> OTHER INFORMATION: katG-F amplification primer 97 <400> SEQUENCE: 6 98 atggggctga tctacgtgaa 20 101 <210> SEQ ID NO: 7 102 <211> LENGTH: 20 103 <212> TYPE: DNA 104 <213> ORGANISM: Mycobacterium tuberculosis 106 <220> FEATURE: 107 <223> OTHER INFORMATION: katG-R amplification primer 109 <400> SEQUENCE: 7 110 ggtgttccag ccagcgacgc 20 113 <210> SEQ ID NO: 8 114 <211> LENGTH: 20 115 <212> TYPE: DNA 116 <213> ORGANISM: Mycobacterium tuberculosis 118 <220> FEATURE: 119 <223> OTHER INFORMATION: katG-5s sequencing primer 121 <400> SEQUENCE: 8 122 atggggctga tctacgtgaa 20 125 <210> SEO ID NO: 9 126 <211> LENGTH: 20 127 <212> TYPE: DNA 128 <213> ORGANISM: Mycobacterium tuberculosis 130 <220> FEATURE: 131 <223> OTHER INFORMATION: katG-3s sequencing primer 133 <400> SEQUENCE: 9 134 ggtgttccag ccagcgacgc 20 137 <210> SEQ ID NO: 10 138 <211> LENGTH: 660 139 <212> TYPE: DNA 140 <213> ORGANISM: Mycobacterium tuberculosis

142 <220> FEATURE:

RAW SEQUENCE LISTING DATE: 12/21/2001 PATENT APPLICATION: US/09/786,105 TIME: 13:12:24

Input Set : A:\Vgenp055.app

Output Set: N:\CRF3\12212001\1786105.raw

143 <223> OTHER INFORMATION: katG (isoniazid resistance) 145 <400> SEQUENCE: 10 146 gctcggcgat gagcgttaca gcggtaagcg ggatctggag aacccgctgg ccgcggtgca 60 147 gatggggctg atctacgtga acceggaggg geegaaegge aacceggace eeatggeege 120 148 ggcggtcgac attcgcgaga cgtttcggcg catggccatg aacgacgtcg aaacagcggc 180 149 gctgatcgtc ggcggtcaca.ctttcggtaa gacccatggc gccggcccgg ccgatctggt 240 150 cggccccgaa cccgaggctg ctccgctgga gcagatgggc ttgggctgga agagctcgta 300 151 tggcaccgga accggtaagg acgcgatcac cagcggcatc gaggtcgtat ggacgaacac 360 152 cccgacgaaa tgggacaaca gtttcctcga gatcctgtac ggctacgagt gggagctgac 420 153 gaagageeet getggegett ggeaataeae egeeaaggae ggegeeggtg eeggeaeeat 480 154 cocggacccg ttcggcgggc cagggcgctc cccgacgatg ctggccactg acctctcgct 540 155 gcgggtggat ccgatctatg agcggatcac gcgtcgctgg ctggaacacc ccgaggaatt 600 156 ggccgacgag ttcgccaagg cctggtacaa gctgatccac cgagacatgg gtcccgttgc 660 159 <210> SEQ ID NO: 11 160 <211> LENGTH: 20 161 <212> TYPE: DNA 162 <213> ORGANISM: Mycobacterium tuberculosis 164 <220> FEATURE: 165 <223> OTHER INFORMATION: PR-F amplification primer 167 <400> SEQUENCE: 11 168 accactgctt tgccgccacc 20 171 <210> SEO ID NO: 12 172 <211> LENGTH: 20 173 <212> TYPE: DNA 174 <213> ORGANISM: Mycobacterium tuberculosis 176 <220> FEATURE: 177 <223> OTHER INFORMATION: PR-R amplification primer 179 <400> SEQUENCE: 12 180 ccgatgagag cggtgagctg 20 183 <210> SEQ ID NO: 13 184 <211> LENGTH: 20 185 <212> TYPE: DNA 186 <213> ORGANISM: Mycobacterium tuberculosis 188 <220> FEATURE: 189 <223> OTHER INFORMATION: PR-5s sequencing primer 191 <400> SEOUENCE: 13 192 accactgctt tgccgccacc 20 195 <210> SEQ ID NO: 14 196 <211> LENGTH: 20 197 <212> TYPE: DNA 198 <213> ORGANISM: Mycobacterium tuberculosis 200 <220> FEATURE: 201 <223> OTHER INFORMATION: PR-3s sequencing primer 203 <400> SEQUENCE: 14 204 ccgatgagag cggtgagctg 2.0 207 <210> SEQ ID NO: 15 208 <211> LENGTH: 420 209 <212> TYPE: DNA

210 <213> ORGANISM: Mycobacterium tuberculosis

RAW SEQUENCE LISTING DATE: 12/21/2001 PATENT APPLICATION: US/09/786,105 TIME: 13:12:24

Input Set : A:\Vgenp055.app
Output Set: N:\CRF3\12212001\I786105.raw

215 < 4400> SEQUENCE: 15 216 atgecatggg gytgaaccgg gacacggttc cgacaccgc tcgccgcaac gtcgactgg 60 217 tcatatcgag aatgettgcg gcactgctga accactgctt tgccgcaac gcggcgaacg 120 218 cgcgaagccc ggccacggcc ggctagcacc tcttggcggc ggtscggata atatatggttg 180 219 gatatatcac ctttgcctga cagcgactt acggcacgat ggaatgtcga aacaatgg 240 220 attgtccgct ttgatgatga ggaagatcat gccactgcta accattggcg atcaattccc 300 221 cgcctaccag ctcaccgctc tcatcggcgg tgacctgtcc aaggtcgacg ccaagcagcc 360 222 cggcgactac ttcaccacta tcaccagtga cgaacacca ggcaagtggc gggtgtt 420 225 <210> SEQ ID NO: 16 226 <211> LENGTH: 20 227 <212> TYPE: DNA 228 <213> ORGANISM: Mycobacterium tuberculosis 230 <220> FEATURE: 231 <223> OTHER INFORMATION: fabG-F amplification primer 233 <400> SEQUENCE: 16 234 cctcgctgcc cagaaaggga 20 237 <210> SEQ ID NO: 17 238 <211> LENGTH: 20 239 <212> TYPE: DNA 240 <213> ORGANISM: Mycobacterium tuberculosis 241 <220> FEATURE: 243 <223> OTHER INFORMATION: fabG-R amplification primer 244 <220> FEATURE: 245 <400> SEQUENCE: 17 246 atccccggt ttcctccggt 20 249 <210> SEQ ID NO: 18 250 <211> LENGTH: 20 251 <212> TYPE: DNA 252 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 255 <223> OTHER INFORMATION: fabG-Ss sequencing primer 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 265 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 270 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 271 ctcccggt ttcctccggt 272 ctcccgt tcctccggt 273 ctcccgt tcctccggt 274 ctccccggt ttcctccggt 275 ctccccgdt tcctccggt 276 ctccccgdt tcctccggt 277 ctccccgdt tcctccggt 278 ctccccgdt tcctccggt 279 ctcccccgdt tcctccggt 270 ctccccgdt tcctccggt 270 ctcccccgdt tcccccggt 271 ctcccccgdt tcccccgdt 272 ctccccccccccccccccccccccccccccccccc	213	<220> FEATURE: <223> OTHER INFORMATION: oxyR-ahpC intergenic region (PR)	
217 tcatategag aatgettgeg geatgetga accaetgett tgeegeaace geggegaaeg 120 218 egegaagece ggecaeggee ggetageace tettggegge gatgeegata aatatgtgt 180 219 gatatateac etttgeetga eagegaette aeggeaegat ggaatgtege aaccaaatge 240 220 attgteeget ttgatgatga ggaagatea gecaetgeta accattggeg atcaattece 300 221 egectaceaeg etacecegete teateggegg tgacetgtee aaggtagaeg ceaagacge 360 222 eggegactac tteaceaeta teaceagtga egaacacea ggeaagtgge gggtggtt 420 225 < 2210			60
218 egcgaagecc ggccaeggec ggctageacc tettggegge gatgecgata aatatggtt 180			
219 gatatacac ctttgotga cagcgacttc acggcacgat ggaatgtcgc aaccaaatgc 240 220 attgtccgct ttgatgatga ggaaggtcat gccactgcta accattggcg atcaattccc 300 211 cgcctaccag ctcaccgctc tcatcggcgg tgacctgtcc aaggtcgacg ccaagcagc 360 222 cggcgactac ttcaccacta tcaccagtga cgaacaccca ggcaagtggc gggtggtgt 420 225 <210			
220 attstccgct ttgatgatga ggagagtcat gccactgcta accattggcg atcaattccc 300 221 cgcctaccag ctcaccgctc tcatcggcgg tgacctgtce aaggtcgacg ccaagcagcc 360 222 cggcgactac ttcaccacta tcaccagtga cgaacacca ggcaagtggc gggtggtft 420 225 <210			
221 cgcctaccag ctcaccgctc tcatcgggg tgacctgtcc aaggtcgacg ccaagcagcc 360 222 cggcgactac ttcaccacta tcaccagtga cgaacaccca ggcaagtggc gggtggtgt 420 225 <210			
222 cggcgactac ttcaccacta tcaccagtga cgaacacca ggcaagtggc gggtggtgt 420 225 <210> SED ID NO: 16 226 <211> LENGTH: 20 227 <212> TYPE: DNA 228 <213> ORGANISM: Mycobacterium tuberculosis 230 <220> FEATURE: 231 <223> OTHER INFORMATION: fabG-F amplification primer 233 <400> SEQUENCE: 16 234 cctcgctgcc cagaaaggga 20 237 <210> SED ID NO: 17 238 <211> LENGTH: 20 239 <212> TYPE: DNA 240 <213> ORGANISM: Mycobacterium tuberculosis 242 <220> FEATURE: 243 <223> OTHER INFORMATION: fabG-R amplification primer 245 <400> SEQUENCE: 17 246 atccccggt ttcctccggt 20 251 <212> TYPE: DNA 252 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 255 <223> OTHER INFORMATION: fabG-Ss sequencing primer 255 <223> OTHER INFORMATION: fabG-Ss sequencing primer 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <220> FEATURE: 276 <223> OTHER INFORMATION: fabG-Ss sequencing primer 277 <400> SEQUENCE: 18 288 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 265 <220> FEATURE: 277 <223> OTHER INFORMATION: fabG-3s sequencing primer 278 <220> FEATURE: 279 <221> LENGTH: 360 271 <211> LENGTH: 360 272 <221> TYPE: DNA 276 <2213> TYPE: DNA 277 <2213> TYPE: DNA 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)			
225 <210> SEQ ID NO: 16 226 <211> LENGTH: 20 227 <212> TYPE: DNA 228 <213> ORGANISM: Mycobacterium tuberculosis 230 <220> FEATURE: 231 <223> OTHER INFORMATION: fabG-F amplification primer 233 <400> SEQUENCE: 16 234 cctcgctgcc cagaaaggga 20 237 <210> SEQ ID NO: 17 238 <211> LENGTH: 20 239 <212> TYPE: DNA 240 <213> ORGANISM: Mycobacterium tuberculosis 242 <220> FEATURE: 243 <223> OTHER INFORMATION: fabG-R amplification primer 245 <400> SEQUENCE: 17 246 atccccggt ttcctccggt 20 249 <210> SEQ ID NO: 18 250 <211> LENGTH: 20 251 <212> TYPE: DNA 252 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 257 <400> SEQUENCE: 17 268 atcccccggt ttcctccggt 279 <210> SEQ ID NO: 18 280 <211> LENGTH: 20 281 <212> TYPE: DNA 282 <213> ORGANISM: Mycobacterium tuberculosis 284 <220> FEATURE: 285 <223> OTHER INFORMATION: fabG-5s sequencing primer 287 <400> SEQUENCE: 18 286 cctcgctgcc cagaaaggga 20 216 <210> SEQ ID NO: 19 220 <231> CID NO: 19 221 <231> ORGANISM: Mycobacterium tuberculosis 226 <221> LENGTH: 20 237 <212> TYPE: DNA 240 <213> ORGANISM: Mycobacterium tuberculosis 250 <211> LENGTH: 20 251 <211> LENGTH: 20 252 <211> LENGTH: 20 253 <211> LENGTH: 20 254 <2211> LENGTH: 20 255 <2212> TYPE: DNA 256 <220> FEATURE: 257 <220> FEATURE: 257 <221> OTHER INFORMATION: fabG-3s sequencing primer 257 <221> TYPE: DNA 250 <221> TYPE: DNA 251 <221> TYPE: DNA 252 <211> LENGTH: 360 275 <211> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)			
226			420
227			
228 <213			
230			•
231			
233 <400> SEQUENCE: 16 234 cctcgctgcc cagaaaggga 20 237 <210> SEQ ID NO: 17 238 <211> LENGTH: 20 239 <212> TYPE: DNA 240 <213> ORGANISM: Mycobacterium tuberculosis 242 <220> FEATURE: 243 <223> OTHER INFORMATION: fabG-R amplification primer 245 <400> SEQUENCE: 17 246 atcccccggt ttcctccggt 20 251 <211> LENGTH: 20 251 <211> LENGTH: 20 251 <212> TYPE: DNA 252 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 255 <223> OTHER INFORMATION: fabG-5s sequencing primer 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaagga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <221> TYPE: DNA 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 20 273 <<210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)			
234 cctcgctgcc cagaaaggga 20 237 <210> SEQ ID NO: 17 238 <211> LENGTH: 20 239 <212> TYPE: DNA 240 <213> ORGANISM: Mycobacterium tuberculosis 242 <220> FEATURE: 243 <223> OTHER INFORMATION: fabG-R amplification primer 245 <400> SEQUENCE: 17 246 atcccccggt ttcctccggt 20 249 <210> SEQ ID NO: 18 250 <211> LENGTH: 20 251 <212> TYPE: DNA 252 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 255 <2213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 270 <223> OTHER INFORMATION: fabG-5s sequencing primer 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 268 <200> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)			
237 <210> SEQ ID NO: 17 238 <211> LENGTH: 20 239 <212> TYPE: DNA 240 <213> ORGANISM: Mycobacterium tuberculosis 242 <220> FEATURE: 243 <223> OTHER INFORMATION: fabG-R amplification primer 245 <400> SEQUENCE: 17 246 atccccggt ttcctccggt 20 249 <210> SEQ ID NO: 18 250 <211> LENGTH: 20 251 <212> TYPE: DNA 252 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 255 <223> OTHER INFORMATION: fabG-5s sequencing primer 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG-3s sequencing primer 270 <223> OTHER INFORMATION: fabG-3s sequencing primer 280 <400> SEQUENCE: 19 280			20
238 <211> LENGTH: 20 239 <212> TYPE: DNA 240 <213> ORGANISM: Mycobacterium tuberculosis 242 <220> FEATURE: 243 <223> OTHER INFORMATION: fabG-R amplification primer 245 <400> SEQUENCE: 17 246 atcccccggt ttcctccggt 20 249 <210> SEQ ID NO: 18 250 <211> LENGTH: 20 251 <212> TYPE: DNA 252 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 255 <223> OTHER INFORMATION: fabG-5s sequencing primer 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)			
239 <212> TYPE: DNA 240 <213> ORGANISM: Mycobacterium tuberculosis 242 <220> FEATURE: 243 <223> OTHER INFORMATION: fabG-R amplification primer 245 <400> SEQUENCE: 17 246 atcccccggt ttcctccggt 20 249 <210> SEQ ID NO: 18 250 <211> LENGTH: 20 251 <212> TYPE: DNA 252 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 255 <223> OTHER INFORMATION: fabG-5s sequencing primer 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-5s sequencing primer 269 <400> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQ UED NO: 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)			
240 <213> ORGANISM: Mycobacterium tuberculosis 242 <220> FEATURE: 243 <223> OTHER INFORMATION: fabG-R amplification primer 245 <400> SEQUENCE: 17 246 atcccccggt ttcctccggt 20 249 <210> SEQ ID NO: 18 250 <211> LENGTH: 20 251 <212> TYPE: DNA 252 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 255 <223> OTHER INFORMATION: fabG-5s sequencing primer 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 277 <223> OTHER INFORMATION: fabG-3s sequencing primer 287 <223> OTHER INFORMATION: fabG-3s sequencing primer 298 <400> SEQUENCE: 19 209 <210> SEQ ID NO: 20 270 <210> SEQ ID NO: 20 271 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)			
242 <220> FEATURE: 243 <223> OTHER INFORMATION: fabG-R amplification primer 245 <400> SEQUENCE: 17 246 atcccccggt ttcctccggt 20 249 <210> SEQ ID NO: 18 250 <211> LENGTH: 20 251 <212> TYPE: DNA 252 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 255 <223> OTHER INFORMATION: fabG-5s sequencing primer 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)			
243 <223> OTHER INFORMATION: fabG-R amplification primer 245 <400> SEQUENCE: 17 246 atcccccggt ttcctccggt 20 249 <210> SEQ ID NO: 18 250 <211> LENGTH: 20 251 <212> TYPE: DNA 252 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 255 <223> OTHER INFORMATION: fabG-5s sequencing primer 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)			
245 <400> SEQUENCE: 17 246 atcccccggt ttcctccggt 20 249 <210> SEQ ID NO: 18 250 <211> LENGTH: 20 251 <212> TYPE: DNA 252 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 255 <223> OTHER INFORMATION: fabG-5s sequencing primer 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)			
246 atcccccggt ttcctccggt 20 249 <210> SEQ ID NO: 18 250 <211> LENGTH: 20 251 <212> TYPE: DNA 252 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 255 <223> OTHER INFORMATION: fabG-5s sequencing primer 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)			
249 <210> SEQ ID NO: 18 250 <211> LENGTH: 20 251 <212> TYPE: DNA 252 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 255 <223> OTHER INFORMATION: fabG-5s sequencing primer 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis			20
250 <211> LENGTH: 20 251 <212> TYPE: DNA 252 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 255 <223> OTHER INFORMATION: fabG-5s sequencing primer 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atcccccggt tcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis		**	
251 <212> TYPE: DNA 252 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 255 <223> OTHER INFORMATION: fabG-5s sequencing primer 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis			
252 <213> ORGANISM: Mycobacterium tuberculosis 254 <220> FEATURE: 255 <223> OTHER INFORMATION: fabG-5s sequencing primer 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE:			
254 <220> FEATURE: 255 <223> OTHER INFORMATION: fabG-5s sequencing primer 257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE:			
257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)			
257 <400> SEQUENCE: 18 258 cctcgctgcc cagaaaggga 20 261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)	255	<223> OTHER INFORMATION: fabG-5s sequencing primer	
261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)			
261 <210> SEQ ID NO: 19 262 <211> LENGTH: 20 263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)			20
263 <212> TYPE: DNA 264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)			
264 <213> ORGANISM: Mycobacterium tuberculosis 266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)	262	<211> LENGTH: 20	
266 <220> FEATURE: 267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)	263	<212> TYPE: DNA	
267 <223> OTHER INFORMATION: fabG-3s sequencing primer 269 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)	264	<213> ORGANISM: Mycobacterium tuberculosis	
269 <400> SEQUENCE: 19 270 atcccccggt ttcctccggt 20 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)	266	<220> FEATURE:	
270 atccccggt ttcctccggt 273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)	267	<223> OTHER INFORMATION: fabG-3s sequencing primer	
273 <210> SEQ ID NO: 20 274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)	269	<400> SEQUENCE: 19	
274 <211> LENGTH: 360 275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)	270	atccccggt ttcctccggt	20
275 <212> TYPE: DNA 276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)	273	<210> SEQ ID NO: 20	
276 <213> ORGANISM: Mycobacterium tuberculosis 278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)	274	<211> LENGTH: 360	
278 <220> FEATURE: 279 <223> OTHER INFORMATION: fabG (isoniazid resistance)			
279 <223> OTHER INFORMATION: fabG (isoniazid resistance)			
			~
281 <400> SEQUENCE: 20		·	
	281	<400> SEQUENCE: 20	

RAW SEQUENCE LISTING DATE: 12/21/2001 PATENT APPLICATION: US/09/786,105 TIME: 13:12:24

Input Set : A:\Vgenp055.app

Output Set: N:\CRF3\12212001\I786105.raw

282 agegegacat acctgetgeg caattegtag ggegteaata caccegeage eagggeeteg 60 283 ctgcccagaa agggatccgt catggtcgaa gtgtgctgag tcacaccgac aaacgtcacg 120 284 agegtaacce cagtgegaaa gtteeegeeg gaaategeag ceaegttaeg etegtggaca 180 285 taccgatttc ggcccggccg cggcgagacg ataggttgtc ggggtgactg ccacagccac 240 286 tgaaggggcc aaacccccat tcgtatcccg ttcagtcctg gttaccggag gaaaccgggg 300 287 gatcgggctg gcgatcgcac agcggctggc tgccgacggc cacaaggtgg ccgtcaccca 360 290 <210> SEQ ID NO: 21 291 <211> LENGTH: 20 292 <212> TYPE: DNA 293 <213> ORGANISM: Mycobacterium tuberculosis 295 <220> FEATURE: 296 <223> OTHER INFORMATION: s12-F amplification primer 298 <400> SEQUENCE: 21 299 cggtagatgc caaccatcca 20 302 <210> SEQ ID NO: 22 303 <211> LENGTH: 20 304 <212> TYPE: DNA 305 <213> ORGANISM: Mycobacterium tuberculosis 307 <220> FEATURE: 308 <223> OTHER INFORMATION: s12-R amplification primer 310 <400> SEQUENCE: 22 311 gcatcagccc ttctccttct 20 314 <210> SEQ ID NO: 23 315 <211> LENGTH: 20 316 <212> TYPE: DNA 317 <213> ORGANISM: Mycobacterium tuberculosis 319 <220> FEATURE: 320 <223> OTHER INFORMATION: s12-5s sequencing primer 322 <400> SEQUENCE: 23 323 cggtagatgc caaccatcca 20 326 <210> SEQ ID NO: 24 327 <211> LENGTH: 20 328 <212> TYPE: DNA 329 <213> ORGANISM: Mycobacterium tuberculosis 331 <220> FEATURE: 332 <223> OTHER INFORMATION: s12-3s sequencing primer 334 <400> SEQUENCE: 24 335 gcatcagccc ttctccttct 20 338 <210> SEQ ID NO: 25 339 <211> LENGTH: 420 340 <212> TYPE: DNA 341 <213> ORGANISM: Mycobacterium tuberculosis 343 <220> FEATURE: 344 <223> OTHER INFORMATION: rpsL/s12 (streptomycin resistance) 346 <400> SEQUENCE: 25 347 cggtagatgc caaccatcca gcagctggtc cgcaagggtc gtcgggacaa gatcagtaag 60 348 gtcaagaccg cggctctgaa gggcagcccg cagcgtcgtg gtgtatgcac ccgcgtgtac 120 349 accaccactc cgaagaagcc gaactcggcg cttcggaagg ttgcccgcgt gaagttgacg 180 350 agtcaggtcg aggtcacggc gtacattccc ggcgagggcc acaacctgca ggagcactcg 240

VERIFICATION SUMMARY

r r. .

PATENT APPLICATION: US/09/786,105

DATE: 12/21/2001

TIME: 13:12:25

Input Set : A:\Vgenp055.app
Output Set: N:\CRF3\12212001\1786105.raw

L:12 M:270 C: Current Application Number differs, Replaced Application Number L:13 M:271 C: Current Filing Date differs, Replaced Current Filing Date